









Corp. & Marketing Office:

### Abhiyan Panel India LLP

B-1107, West Gate, Makarba, Ahmedabad-380051, Gujrat - 380051, India. Email: laminate@abhiyangroup.in | Web: www.abhiyangroup.in | Call: 1800 5727 547

Factory Address:

Survey No 405, Kadadra Road, Taluka Dehgam, Dist Gandhinagar, Gujarat-382305




















Feel the Sleekness surround you for the rest of your lifetime




### SEASONS 2.0



INDEX





























### FLUTED








LEATHERITE

Laminates infused with immersive experiences for creative spaces that channel an artistic elegance.






S059 LTH STONE GREY



S020 LTH TAN BEIGE




S004 LTH PU WHITE



SO57 LTH SILVER SATIN



S015 LTH PUMPKIN



PRISM

### **SEASONS**

# SMARTLIVING

S064 PM PG\*
DARK TRUFFLE





S062 PM PG\* SEA SHELL



S069 PM PG\* GRAPHITE GREY



# 



S037 SMT MOSS GREEN



S057 SMT SILVER SATIN






S029 SMT **MATIZ BLUE** 

S030 SMT COMET BLUE

S059 SMT STONE GREY






SO42 SMT PG\*
SHEEN WHITE

SO44 SMT PG\* PRO BEIGE

S004 SMT **PU WHITE** 

S036 SMT **LEATHER BEIGE** 

S020 SMT **TAN BEIGE** S043 SMT PG\* SUGAR CREAM





### SUPER MATT



S018 SMT **VOYLA PINK** 

S019 SMT MEDIEVAL GREY




S045 SMT PG\*
SILVER DOVE




S040 SMT PG\*
ASTER GREY

### **SEASONS**



S013 SMT KROSS BLUE





S014 SMT AMBER BLUE

S016 SMT PEACOCK BLUE

## **SEASONS** HIGH GLOSS ${\sf Bask\,your\,decor\,in\,the\,blanket\,of}$ earthly charm, and let the elegance radiate throughout! S059 HG STONE GREY S058 SMT CADET GREY S057 SMT SILVER SATIN S056 HG MORNING GLORY S029 HG MATIZ BLUE S030 HG COMET BLUE S037 HG MOSS GREEN GLORIOUS 20 19

# Abhiyanica Timeless decor

### **SEASONS**

### HIGH GLOSS



S038 HG
PORTERS BROWN

S091 HG SKY GREY

S035 HG
VENEYARD

S006 HG
FROSTY WHITE

S018 HG
VOYLA PINK


22

S092 HG CASTLE GREY



HIGH GLOSS


A combination of Bright colours and artistic designs to create a glamourous impression








S036 HG **LEATHER BEIGE** 



S020 HG **TAN BEIGE** 



S013 HG KROSS BLUE



S014 HG AMBER BLUE



S015 HG **PUMPKIN** 



• •






# Each design having a fresh and voguish feel brought to your ambiance with Seasons 2.0

S039 HG MUD BROWN

### **SEASONS**

### HIGH GLOSS

S045 HG PG\* SILVER DOVE



S040 HG PG\* ASTER GREY

S044 HG PG\*
PRO BEIGE

25

S034 HG FROST VIOLET

# **SEASONS** PU S056 PU MORNING GLORY S093 PU CHARCOAL GREY S059 PU STONE GREY S036 PU **LEATHER BEIGE** S016 PU PEACOCK BLUE S029 PU MATIZ BLUE S004 PU **PU WHITE** S039 PU MUD BROWN Flamboyance of these timeless surfaces will make you brag about your ambiance forever

# STONE Experience the artistry of exciting impressions when you browse this collection S006 ST FROSTY WHITE S019 ST MEDIEVAL GREY S092 ST CASTLE GREY



Laminates infused with immersive experiences for creative spaces that channel an artistic elegance.

### **SEASONS**


### SUEDE FINISH

S037 SF MOSS GREEN

S015 SF **PUMPKIN** 









S038 SF

**PORTERS BROWN** 

S034 SF FROST VIOLET S035 SF **VENEYARD** 



### TECHNICAL SPECIFICATION

PROPERTIES	SPECIFIED VALUES AS PER IS:2046-1995, TYPE S, VGS	AS PER IS:2046	ABHIYAN LAM VALUES AS PER IS:2046-1995, TYPE S, VGS	SEASONS CONFIRMS
Resistance to surface wear	150 (Revolutions)	✓	200 (Revolutions)	<b>√</b>
Resistance to immersion in boiling water - Mass increase (%) - Thickness increase (%) - Appearance	10.0 (Maximum) 11.8 (Maximum) Not worse than 4	<b>✓</b>	7.5 (Maximum) 8.5 (Maximum) Not worse than 4	✓
Resistance to dry heat 180° c	Not worse than 4	✓	Not worse than 4	✓
Dimensional stability at deviated temperature - Longitudinal (%)	0.55 (Maximum)	<b>√</b>	0.44 (Maximum)	<b>√</b>
- Transverse (%)	1.025 (Maximum)		0.86 (Maximum)	
Dimensional stability at 20°C - Longitudinal (%) - Transverse (%)	0.375 (Maximum) 0.60 (Maximum)	<b>√</b>	0.31 (Maximum) 0.49 (Maximum)	<b>√</b>
Resistance to impact by small diameter ball	20 N (Minimum)		20 N (Minimum)	
Resistance to cracking	Not worse than 4		Not worse than 4	<b>√</b>
Resistance to scratching	2 N (Minimum)	✓	2 N (Minimum)	✓
Resistance to staining	Not worse than 5	<b>√</b>	Not worse than 5	<b>√</b>
Resistance to colour change (wood standards) - In xenon arc light	Not worse than 6	<b>─</b>	Not worse than 6	<b>✓</b>
- In enclosed carbon arc light	Not worse than 5		Not worse than 5	<u>.</u>
Resistance to cigarette burns	Not worse than 3	<b>√</b>	Not worse than 3	<b>√</b>
Resistance to steam	Not worse than 4	✓	Not worse than 4	✓
Appearance	Should be free from foreign particles	<b>√</b>	Should be free from foreign particles	✓

### FEATURES

A complete dimensionally stable product with the unique resistance power against

- Surface Wear
   Any kind of Stain
   Immersion in Boiling Water
   Scratching
   Cigarette Burns

### PRODUCT SPECIFICATIONS

Product: Decorative Laminate Sheets

Size: 2440 x 1220 mm

Thickness: 1.00 mm(±10%)

**Maintenance:** Clean with mild soap solutions or household detergent, abrasive cleaners should not be used. It is recommended for vertical use only. Avoid direct sunlight.

**Resistance:** To surface wear, immersion in boiling water, dry heat, impact by small dia. ball, cigarette burns, staining, scratches, color change in xenon light.

- Guaranteed Thickness.

- Guaranteed Thickness.
  High Quality Back Sanding.
  The samples shown in the Shade Chart are only indicative of the colors, patterns, and shades available.
  Company warrants that all its products are free from manufacturing defects and perfectly fit for use under normal conditions. In case of any claims, the liability of the company is however limited to the cost of the product only.

Disclaimer: Customers are advised to reconfirm selected laminate when placing orders as our liability does not include claims arising from sample chip pasting error. Samples presented are indicative of color, pattern and surface finish but not of actual thicknesses. All metallic patterns series recommended for vertical application only. Limited Warranty: Eminence warrants that its products are reasonably free from manufacturing defects. The products when properly used, will comply, with normal deviation, related manufacturing specifications. This warranty shall be limited only to the original buyer for a period of care. It is recommended that the products must be inspected prior to installation and our liability will be limited to the extent of the cost of the products only. Eminence products are used for various applications without the possibility of control over the manufacturing of the finished products. The Company does not assume obligations or liabilities arising from the furnishing, sale, installation or repair, use or subsequent sale of any product, to any person or

### **SEASONS**

• • •

### INDEX

			I
	DESIGN NO.	FINISH	PAGE NO.
1	S004	LTH	7
2	S004	SMT	13
3 4	S004 S004	HG PU	24 28
	S004 S004		
5		SF	31
<u>6</u> 7	S006 S006	SMT HG	15 21
8	S006 S006	ST	30
9	S013	SMT	18
10	S013	HG	23
11	S013	SF	31
12	S013	SMT	18
13	S014	HG	23
14	S014	SF	31
15	S014	LTH	7
16	S015	SMT	18
17	S015	HG	23
18	S015	SF	32
19	S015	SMT	18
20	S016	HG	23
21	S016	PU	27
22	S016	SF	31
23	S018	FLT	5
24	S018	SMT	17
25	S018	HG	21
26	S018	SF	31
27	S019	FLT	6
28	S019	SMT	17
29	S019	HG	22
30	S019	ST	30
31	S019	SF	32
32	S020	LTH	7
33	S020	HG	23
34	S020	SF	31
35	S020	SMT	13
36	S029	FLT	5
37	S029	SMT	11
38	S029	HG	20
39	S029	PU	28
40	S029	SF	31
41	S030	FLT	6
42	S030	SMT	11
43	S030	HG	20
44	S030	SF	31
45	S032	FLT	6
46	S032	SMT	16
47	S032	HG	22
48	S032	SF	32
49	S034	FLT	6
50	S034	SMT	15
51	S034	HG	25
52	S034	SF	32
53	S035	SMT	15
54	S035	HG	21
55	S035	SF	32
56	S036	FLT	5
57	S036	LTH	7
58	S036	SMT	13
59	S036	HG	23
60	S036	PU	28
61	S036	SF	31
62	S037	FLT	6

	DESIGN NO.	FINISH	PAGE NO
63	S037	SMT	12
64	S037	HG	20
65	S037	SF	32
66	S038	SMT	16
67	S038	HG	22
68	S038	ST	29
69	S038	SF	32
70	S039	SMT	16
71	S039	HG	25
72	S039	PU	28
73	S039	ST	29
74	S039	SF	31
75	S040	SMT PG*	17
76	S040	HG PG*	26
77	S042	SMT PG*	14
78	S042	HG PG*	26
79	S043	SMT PG*	14
80	S043	HG PG*	26
81	S044	SMT PG*	14
82	S044	HG PG*	26
			17
83	S045	SMT PG*	
84	S045	HG PG*	26
85	S056	FLT	5
86	S056	SMT	11
87	S056	HG	19
88	S056	PU	27
89	S057	LTH	7
90	S057	SMT	12
91	S057	HG	20
92	S058	SMT	12
93	S058	HG	20
94	S059	LTH	7
95		SMT	11
	S059		
96	S059	HG	20
97	S059	PU	28
98	S060	HG PG*	1
99	S060	PM PG*	9
100	S061	HG PG*	1
101	S062	HG PG*	2
102	S062	PM PG*	10
103	S063	HG PG*	3
104	S063	PM PG*	9
105	S064	HG PG*	3
106	S064	PM PG*	9
107	S065	HG PG*	
			3
108	S066	HG PG*	2
109	S066	PM PG*	10
110	S067	HG PG*	2
111	S068	HG PG*	4
112	S069	HG PG*	4
113	S069	PM PG*	10
114	S091	FLT	6
115	S091	SMT	16
116	S091	HG	22
117	S091	SF	32
118	S092	FLT	5
119	S092	SMT	16
120	S092	HG	22
121	S092	ST	30
122	S092	SF	32
123	S093	SMT	16
124	S093	HG	22
	0000	PU	20
125	S093	PU	28